

MISTURA GLYCYRRHUZÆ COMPOSITA. W. L. Stephen says (Am. Jr. Ph.) a preparation affording no sediment whatever may be made by thoroughly mixing $\frac{1}{2}$ oz. each of powdered acacia, powd. extract of licorice, and powd. sugar; rub up to a paste with 6 ozs water, and heat in an evaporating dish till perfectly fluid. Then add $\frac{1}{2}$ oz. spirits of nitrous ether, 1 oz. wine of antimony, 2 ozs. paregoric, and enough water to make 12 fl. ozs.

And he who is unfortunate at first must persevere, and will doubtless be as thor-oughly successful at the end of his pro-bationary period, as he was unsuccessful at the beginning. Indeed the work of many amateurs is perfectly equal to that of professionals, more especially in land-scape photography; portraiture is an en-tirely separate art, and requires such special apparatus and lighting arrange-ments that the amateur rarely produces a

Syrups for Soda Water Sarsap. Vanilla. R Knapp's EXX. Ziv Eiss, Sarsap. Zi RESS. Vanilla 31 The Syrup. Of Egg Syrup Oj. JN. Ir. Quill. 37 Liemon Egg Syrup. RAIbum. Vitelli, R Ess. Liemon Sel. Ac. Citr. aa. 3j JG. J Egg. Syrup. Of Syr. Simpl. 014 JN. Tr. Quill. 3 JA. Baspb. Syr. chocolate Syrup. R Rasp. Juice Zi Figg Syrup. Of Ry chocolate 30 JN. Tr. Quill. Fr Syr. OJ Aqua Zi Orange, Re Orange Juice 30 Misce Figg. Syrupoj Mett chocolate M. Ir. Quill. 3 with enough Syru to cover, rub up whi' hox xlex stand ti cool Krub Smoot then add Water & balance of sys

DENTAL WAX

S. D.—Perhaps this will answer:

Gum Masti	C			÷			ų.	*	÷		3	dr
Castor Oil.						÷					2	dr
Wax		ć,	9	2		į.					2	OZ.

Powder the mastic and add to the melted wax, stirring until solution is complete, then add the oil, and perfume with sufficient wintergreen oil.

"TASTELESS" CASTOR OIL

J. H. C.—By "tasteless" castor oil is usually understood a castor oil which has been sweetened, or rendered more palatable by the aid of some such substance as garantose. A suitable formula for a preparation would be as follows:

Alcohol 4	fl. dr.
Garantose 12	grn.
Oil Peppermint (or Cassig) 20	min.
Castor Oil 1	pint

No. 676

STATE OF NEW JERSEY.

Office of DAIRY AND FOOD COMMISSIONER.

CHIEF INSPECTOR OF FOUD & DRUGS. 1903 TRENTON, N. J. Mar, 11

To Dank W. Seward,

Webster + Bloomfreed ave. Newark

SIR-You are hereby informed that articles recently purchased at your place of business have been analyzed, with the following results:

OFFICE NO.	ARTICLE.	RESULTS OF ANALYSIS.
9 253 9 9 252	Ir lodine Ir Opii	Lodine 5.4 gr. pr 100 cc morphuie 1.07 gr pr. 100 cc 1. 30 to 1.5

You are respectfully notified that a repetition of the sale of any article found to be adulterated will be followed by prosecution under the provisions of "An act to prevent the adulteration of food or drugs," approved March 25th, 1881, and the supplements thereto.

Geo. M. Megune CHIEF INSPECTOR OF FOOD DRUGS. Commissioner

Approved Formulas

FOR THE USE OF

11 in the pharmacy

Published by MERCK & CO., - NEW YORK **LANUM** is a superior wool-fat, specially prepared for medical and pharmaceutical uses—in ointments. creams, etc. It answers the strictest requirements for a pure and bland fatty base.

LANUM is a yellowish-white, unctuous mass, having a very faint odor, resembling that of wax. It is insoluble in water, but miscible with twice its weight of water without losing its ointment-like consistency. With ether or chloroform it yields turbid solutions which are neutral to litmus.

LANUM is free from the acidity of ordinary wool-fats. It incorporates equally well with fatty, aqueous, or other vehicles.

LANUM does not become rancid with age, does not irritate even the most delicate skin or inflamed surface, and is extremely rapidly absorbed through the skin.

Benzoinated Cream.

1-Benzoinated Lard 1	OZ.
Spermaceti 21/4	OZS.
Camphor 4	drs.
Expr. Oil Almond	fl. drs.
Benzoic Acid	grs.
Lanum 4	drs.

Melt the fats together, and add the oil, in which the camphor has previously been dissolved by the aid of gentle heat. Add the benzoic acid, keeping the mixture at all times as cool as practicable to prevent volatilization. Perfume according to taste.

Boroglycerin Cream.

2-Boric Acid	grs.
Glycerin 21/2	fl. drs.
Water	
Expr. Oil Almond 3	fl. drs,
	drs.
Oil Roseto p	erfume.

Carbolic Ointment.

3-Carbolic Acid15 grs. Distilled Water 5 fl. drs. Ungt. Molle (Form. 34).... 5 ozs. Dissolve the acid in the water and incorporate with the ointment-base. (A vellowish-white, smooth ointment.)

Cold-Cream.

4—Borax	grs.
Powdered Soap 4	drs.
Cocoanut Oil 6	drs.
Rose Water	fl. ozs.
Lanum	drs.
Oil Bergamot 8	drops
Oil Neroli 8	drops
Oil Rose 4	drops
Oil Wintergreen 1	drop
0il Orris	drop

Triturate the first four ingredients together until well mixed, then gradually add the rosewater, which has been previously warmed, stirring constantly, and add the oils,

Or:

-Benzoinated Lard Lime Water Lanum	}equal	parts
--	--------	-------

Or:

6-White Vaselin		drs.
Distilled Water		fl. drs.
Zinc Oxide		
Lanum	21/2	drs.

Or:

7-White	Vaselin		drs.
Rose V	Vater .	2	fl. ozs,
Lanum		21/2	drs.

Melt the vaselin and lanum together with gentle heat, and add the rose-water in small quantities while beating with a spatula.

Cold-Cream (Unna).

8-Benzoi	nated	Lard	 21/2 drs.
Rose	Water		 1 fl. oz.
Lanum			 5 drs.

Cold Cream (Dieterich).

9-Distilled Water	1	fl. oz.
Simple Cerate	21/2	drs.
Lanum	2	OZS.
Oil Rose	1	drop
Or:		
10-Distilled Water	9	fl. drs.
Liquid Paraffin	6	fl. drs.
Lanum	2	ozs.
Oil Rose	4	drops
Ext. Millefleurs	8	drops

Cucumber Cream.

11-Expr. Oil Almond80	min.
Fresh Cucumber Juice 1	fl. oz.
Lanum 4	
Vanillinto	perfume

Emollient Cream.

12-Water	. 4	fl. drs.
Olive Oil or Lard	. 2	drs.
Lanum	. 4	drs.

Melt the lanum with gentle heat, gradually add the water, and stir until emulsified, then add the lard or olive oil, and stir until cold. Or:

13	-Ungt.	Molle	(Form.	34)	11/2	ozs.
(A	snow-w	vhite, I	permane	nt, 'toil	let	cream.)

Freckle Cream.

14-Mercury Biniodide	
Powd. Zinc Oleate	1 dr.
Ext. White Rose	
Glycerin	11/2 fl. drs.
Vaselin Oil	11/2 fl. drs.
Lanum	l1 drs.

Glycerin and Boric-Acid Ointment.

15-Boric	Acid			8	grs.
Glycer	in			3	fl. drs.
Ungt.	Molle	(Form.	34)	4	drs.

Iodine Ointment, Soft.

16—Iodine 21/2	drs.
Potassium Iodide	grs.
Distilled Water	min.
Ungt Molle (Form 24) 914	078

(A blackish-brown, permanent ointment, containing 10 per cent. of iodine, and with which as much as 10 per cent. more of the latter may be incorporated.)

Mecurial Ointment, 25%.

17-Mercury 5	fl. drs.
Benzoinated Lard 21/2	drs.
Lanum	drs.
Oil Bergamot45	min.

Mercurial Ointment, 33%.

18-Mercury	2 fl. ozs.
Lard	
Suet	11/2 OZS.
Lanum	4 drs.

Mercurial Ointment, 75%.

19-Mercury	fl. ozs.
Liquid Paraffin10	fl. drs.
Lanum	a ozs.
(Used for making mercurial plas	
ointments, etc.)	

Mercurial Plaster.

Milk of Wool-fat.

21-Yolk of 1 egg.	
Milk 4	fl. drs.
Formaldehyde20	min.
Lanum 4	drs.

Triturate together the lanum, yolk of egg, and formaldehyde solution, then gradually add the milk.

Milk of Wool-fat (Dieterich).

22-Powd. Borax 21/2	drs.
Powd. Soap 5	drs.
Water 21/4	fl. ozs.
Cocoanut Oil 1	OZ.
Lanum 21/4	OZS.
Rose Water at 40° C27	fl. ozs.
Oil Neroli10	drops
Oil Rose 5	drops
Oil Wintergreen 1	drop
Oil Bergamot10	drops
Oil Orris Root 1	drop

Mix the first five ingredients for ten minutes in a warm mortar, then gradually add the rose water, stirring well all the time; finally add the perfume.

Potassium-Iodide Ointment.

23-Potassium Iodide 3	drs.
Sodium Hyposulphite 1	grn.
Distilled Waterto	dissolve
Ungt. Molle (Form. 34) 4	OZS.

Potassium-Iodide Ointment (Dieterich).

24-Potassium Iodide 2	drs.
Sodium Hyposulphite 3	grs.
Distilled Water 1	fl. dr.
Glycerin 1	fl. dr.
Simple Cerate 3	drs.
Lanum	drs.

Dissolve the salts in the water, and add the glycerin; then mix the fats and add the solution just made.

Sulphur Ointment (Dieterich).	
25-Precip. Sulphur	
Toilet Cream,	
26-Olive Oil 1 fl. oz. Rose Water 1 fl. oz. Lanum 1 oz. Terpineol 3 drops	
Or: 27—Petrolatum 1 oz. Orange-Flower Water 1 fl. oz. Lanum 1 oz. Terpineol 3 drops	
Toilet Cream (Unna).	
28-Liquid Paraffin	
Or:	
29-Benzoinated Lard 1 oz. Orange-Flower Water 1 fl. oz. Lanum 1 oz. Terpineol and Vanillinto suit	
Toilet Milk (Dieterich),	
30-Soap (medicinal)4 grs. Distilled Water3 fi. ozs. Tincture Benzoin15 min. Lanum	
9	

Dissolve the scap with the aid of heat in about 3 drs. of the distilled water, and incorporate with the lanum, previously rubbed up with about 2 drs. of the water; then gradually add the remainder of the water, and finally the tincture of benzoin.

Toothache Wax.

31-Yellow Wax24	grs.
Powd. Opium15	grs.
Powd. Bellad. Root15	grs.
Powd. Pyrethrum15	grs.
Lanum	grs.
Oil Cajeput 3	drops
Oil Cloves 3	drops
Make into 100 nills and dust with	nowdered

Make into 100 pills, and dust with powdered cloves.

Turpentine Liniment,

32-Oil Turpentine	 2	fl. ozs.
Distilled Water	 7	fl. ozs.
Lanum	 1	OZ,

Dissolve the lanum in an emulsion mortar in half the turpentine oil, gradually add the water, and then admix the remainder of the oil in small quantities at a time.

(A homogeneous, thick, milky liniment.)

Unguentum Dorum (Hard Ointment-base).

33-Paraffin	1	 10	drs.
Liquid	Paraffin	 121/2	fl. drs,
Lanum		 21/2	drs.

Melt the parafins together at a gentle heat, add the lanum, and run the cooled product through an ointment milk. In default of the latter, the warm ointment should be stirred uninterruptedly until completely cooled.

Unguentum Molle (Soft Ointment-base).

34-	-Paraffin		 51/2	drs.
	Liquid	Paraffin	 	fl. drs.
6.6	mallemin	To milita	 and a	In these and

(A yellowish-white, permanent ointment, like white vaselin.)

Zinc Ointment.

35-Olive Oil		fl. dr.
Zinc Oxide	1	đr.
Lanum		oz.

Zinc Ointment (Dieterich).

36-Zinc Oxide	. 1	dr.
Distilled Water	. 1	fl. dr.
Simple Cerate	. 2	drs.
Lanum	. 6	drs.

Rub up the zinc oxide with the water, gradually add the lanum, and then incorporate the cerate.



the my a prior concluded William Eichler P.S. MAY 10-1895 986.125

Balls. Harse 4 Age Rosac 6 Aniseseed Cordial 8 Bay Run 5 Acid Lachic Il 9 Osflers, Wild Cherry. 15" Ag. Awarant FloriG. Bitter Ansatz, 17, Buyrated Ju 26

Camphor Sce - Sewarde 4 Dyz. Hair 2 Composition 5 Drops - Sewards Coloutales 3: Cure - Boue Spain 10 Dandruff Gradicator 11 Condys Sol. 11 Diarrhed my Squibb . 32 Carbolate Sime 11 Carlsbad Salts artifical 14 Condition Pourder Balcocks) 15 Combane 21 bologue 22,

Ext boccus bacte 4 Fluid for Battery 9 Elizir Faraxicum 6 Huid, Bijon Cheaning 15 " Luarana b Aumitan Colish 16 " Herro Phos Calisaya 7 Funigating Poroder. 18 Emulsion God Liver Oil Ess Bitter Almonde b Elizir Simple, Improved 8 Est Varlilla .10 Edizir Calisarya Elit Calibage (Hegener) 16 " Calis Hat (0 Hare) 163 " (" Forrated 17 " Dannana Co " Lastopeptine 29

Golden Lotion 16 Hoof Out Haltert Hambing Zen 22.

15 Realing Continent p. 29. Horse himment 22 Har Louis 33.

Sut - for Copying Pade 10

Liniment-Canada 13 Lig Clumbi et Opin 8 Lotion, yaldun 16 Larender Walter 29

Minturo - Fever Aque 5 " Arnoldi-13 markle Polish 25

Paste - Fongershoea 1 Odouto-Sewards; 4 " Anoud 2 Odoutoline 4 Powder - Foile 1- 3 Cil Shike 2. 9 Polish - French 3 Oils Mixed Tills - Blande - 3 Powder- Jullys 3 Pill Siplex 1 Repaine Liquid -7 Pomade - White 9 Pade - Copying 10 Paint-Root 1 10 Cill Salutis 12 Pomade - Jellow 10 Polish - Phalour Brass 12 Powler, Babcocks Condition 5-Celiste Functione 16 Pill Dancando 18

Rf 29.006

Sun Cholera Southe Lea - Breast 1+14 Skt Camphora Jouic - Rum + Juinim Hair 12 2 Shiriha for Socia Water 2 Tine Lodine (Charolicie) " nectar 4 Syrip-Wild cherry & Jar M Bolden + for-Croton Childral 9 SyrHypophosphites 9 " Lacto Phoz Line 13 " Scillae comp. 18 " Apl US." " Ivda Wale " Orange

Ungt Hoydg mitie 5 Vini Herrie Vini Repsine 14- 1 " Calisaya " Vamish for Mentle ,25-

Water-Rissengen 11 Nash: Bon Month 12 Water-Sedative 14



Sun Cholera Drope "Chinici "Capsici "Capsici "Spts meath Rip " int Dule a a 355 M Breast Tea Vel Species hectoralis Govorrhoea Paste Rad Althea. 3iv " . Liconce 3155 Bala Copatia 3vj Bulo Cubeba 3x. " Inis Florent 385 Calc magnesia 3755 Pulo Acacia 3155 Yoh Jusclago Far 311 Hlor Verbasei " Camphora gr XEV Sem Anise à à 31 Vini Ferri Contres et 74 Pharm Born Pill Triplex Jart from Potash greets Sherry Thine Oj Ht Aloes Sout grii Mare Hydg gri Podophyllin gr 1/4 Dose - Que to two Fld ounces

Hair Dyc Spt Camphora Acid Gallic gr x 19un Carlshora 3iv Spto Vini Rech On sissolve in Alcohol 311 Aqua Oss Ho Soda Water Syr Lemon Ag 3vi no 2 Sol bitric Acid 311 Argente hibras 31 Es A Limouice \$ 3150 Aqua 31 Ht. Et ad-Lig Ammonia in excess-then add Jum Acacia 311 Ag Sestill ad 3x11-74 Spt Vini Rect 300 Sy- Simple OII- Ht Soda Water Syrups of Strawberry - Raspberry T Almond laste for Chapped lineapple -Anyqdala Amara Zix solcit Acid 388 Qui Albi noi Fure Juice 0.55 4 02 Aqua Rose 311 Syrain Single dissear Spt Vini Rect- 311 At SA Soda Water Syr Sarzaparilla Oil Laulth . " Saesafraes à à Itt Gil Spike Spits Surpentine 3111 Wil Lavander 355 Syr Simple Oil. Bartadoes Jar 3ii siscolvo the Oils in Alcohol 355

Soilet Towder Sewards Odoutalgia The Pourd Starch 3xxviii S. T.R. Bix 1 421/4 Chloroform Biii +6 dr. " his Flor 311 Gil Lavand English) Oil Cloves 3155 3 " " Careput = 3vj=1/2 Ess, Ambergrit Sum Camph 3ss- hoy Ide " Muster ãa mxviii Jannin "3j 2de Vil Berganst 355 French - Blick At S.A. put 311 in each Bottle Blands Pills . Ferri Sulph Capt . Shellac Ziv Carb Potapa aã 355 naptha Reck 3xx Fiturate Rub the from to a Acid Qualic 3ss fine forder - then add totask Oil Line 3111 Jun Juniper 355 Color with Gragour Blood the handles disappear. I at becomes almost liquid - Then add fully fourder to tragacanth In XI Carbo Liqui gr. X + Precipitated thalk July Siconce Rad " Camppora tãa Ti Et siv in fillo no CXX-Sulph horph grij After the Mass have been formed - they it much be also same as Pulo Dover divides quickly -

Dewards Bdoutaline nectar Surah Whiting 3xxiv Oss Sepia Sur Orgealt /3v Port Voine 31 lo Orris à à 311 Syr Strawberry 3 x Sewards Camp: See Borate Soda Sapo Hispan, Fuch huprh a a 3j Adepe 3v : bera Albi Bili et 3vi Por Crimamon 355 Finct Much 3j. Cetaceum 311ss Ol Rose Ltt VI "Lemow Itt XV Camphor 3iss Aqua 3vj Sewards Odouto Two Creta Precipit 3xil The Despumation grs. The Est boccus leachi grs. The 10 Opria: Sacch Albi ãa Bil (as put up for mor Holey) " Sapo Albo 31 Ol Gaulth 45 Po Aloes 3xiv Carmine "95 to color Calomel 31 Est loccus back Harlen Oil Itt in Coccus Cacti 355 lo Alum 31 . .the Aqua Oj Sode Syr Simps 1 Suine 25 bl- Wall

Dewards Horm Powders Sever + Aque mistare Lyinine Sulph 311 Ginchoua " 311 Acid Sulph, Arou 3vi Calomel Santonne aa grvi Lig Potapa Aren 3xiv Sacch Albi Fi Syr Simple 31155 Aqua 3x In Siv in Pulo no VI no Ht 7 Calorel Leaspoonful every3 hour Sautonine Bay Tun Bok Pe Jalap ãã grvj Oil Bay 3111/4 SacchAlli Fi " Rimento, Ht XV to div in Rub ho VI Acetic Ether 311155 Alcohol OV 1/4 Ag- Animon gs. to Color Composition Bay berry Bark Ist 1-9-18. Cost H.E.E. per Gal Hemlock 3viii Aqua 2 A Diii Lunger - 3vill Ungt Hoyda mites affrici Clover aã 3j 14 Ungf-Hoydy 3viii Acleps 3xvj tt

Aqua Mosac Elivir Faraxicum Oil Rose . 4ttv R. Rad Farazicum 3155 may Cart Zi Car Prum Virg 31 Ap Oi m Rad Gentain Cort Cimanomi Elizir Guarana Sun Condander à à JII Cort Aurantic bug 355 Ry Por Guarana 31155 Sem Anisi To bil Alcohol q.s. " Comi prepare by percotation 80h of Fineture -" Cardamona 31 Add mater 311 Rad Lychjark 355 Syrap - 3vj Lilute sufficient Alcoled Sht Grange 311 " Cimamon MX with twice its bulk of Agua + moisten the powderer Ess Bitter Almonde ingrections with 11/2 or of it- pack in a percolate R Of almonds Amara SHXV Alcohol 31155 Aqua 3155 Att + displace" 2 boz with silute Alerhoh - added this to 10 on Simple Sepup

Wild Cherry YJar Elizir Ferro Phos Cough Syrips Calisand. At Quining Sulph 4890 R Dia Sang Can 311 Ferro Prophers 128900 Sup Specac Acid Sulph Sib 15 drope Simple Elizier Oj " Pour Virg ãà Biv Jam Rum 3iv Sur Simple 3xxi 14 290,060 Majendie Dolution 31 Sodide 311 The Capici Itt XVI 154 ski Sem Colch 311 Caramel S.S. 1.B. T. Harris H. Lelix Calisaya 355 Syr Sana Co 3155 Acid Musichie 353 Jobs Acid Musichie 353 Jobs Allecerine 19 Disserve Ju parin in the Mater Ag ad gs Biv Jeashoonful 3 time a day 1 084 Live no copy to hs + Hydrine - Add the Harry Him Vicin For 10gal box 33 m Soda Mur Acid Filter Repsine Sack 25624145 Socla In Bilast- Biv " Chloride 3j' Ace Turtil. 31 Ag- tou Caronic lougy Ilycenice . 3vj

Pill Salutie Aromatic month Wash Re Pulo aloes Est Hyosciami ãa grx KRhatanie 31v " mhy Von gr 11/2 Gil Anisi Itt V 4 Cinch Comp 311 Jannin grxxiv Soap Fiv Syr Simp 311 Ho It pill no x. Sig- Que at might Vini Calisaya Chil Faulth make same " Sassafrass à attriïi tuting Sherry Wine 6/4 Rum & Ininine Hairtonic on of the amount of Brass Polishay tumina In Cinch Rub 3111 glycrine" Jam Rum ar Zi Farmin 3p R lo Rotten Stone 311 Imperial Coloque gs ad Oxalic Acid 3; Spt Surpentine 311 through Carb magnesicat Ag grad Oil Jonic - Applied twice a day Sporge Fellow heare Rubbing it well into the scalp

13 Mist Arnoldi Fountain Symps Ginger & Herrie Sulph Cupt higer all Est 3iv Acid nitric Fort a a 31 Id Cit Acid Fiss Ag- lura, 3j Lyr Simple OI Quinine Sulph 355 Vanilla Sulph Strichnia Arreniculon Alliaag Est, Vaniella Ziji Syr Simple Of & St. Ming bout hil Apit + 1/2 quantity of water Canada Liniment & Ag Annon Biii arrshi balance of water - let-Stand "4 hours - filter + Reepind Gil menth Pip 3; Alcohol 3vss Oil Oliva Ziv Sur Lacto- Phos Line ". menth Virid 3.55 Macip Phos Line 206. he " Lere binth 31/25 Mus Acid C.P. 102 Linent Jod Anmonia Ag- Annon 11/2 on mint Acid with you Age & pour ou tim Atir entrie Sim distillors - pour into wide mouth bottle + pricipitate with the ammonia distil with a la - unfil A Lodine gr XV Alto Vince Reel 3 Niij I shows an alkalin reaction. Then allow to settle. I repeatedly wash the micipitate until it has no salin teste-Camphon 311 magine - Aciel Que - all that the Ol Lavand will take up -" Rosemary ão of Grange Hower Water Olyzon Ag Annow 3 Age grs ad 3 vill - Then add At in o That we Hadt in qualing a

114 Specu, Vectorlie Sedative Water Breast Lea Re Ag Ammon Fort Zijss Rad althea 3iv Sht Camph 31155 " Liconce 3/55 Sodie Munias 3VII Figy " his Flower 3p Hol- Insilago Far 311 Aqua Oii the Flor Rhoegdes Voice Lepsine " Verbascum Sem anisiga + Sacch Lepsine 240 gr Contras & Mia Acid Mur 3.ss Ag- Biii artificial Carlibard Dally Hycerine 3j Vin Cherry 3xi Supelph Joda 45 pl. Bilad Doda 33 Ir Auranti Sule 3; biesdue the pepsite in Chloride Ioda 20 Sulph Potassa (2 100 the acio Water miged 11 phir well + allow to e , Stand 3 or 4 hours - Then your of Pepsin pour into a bottle with The Jach Lepsin 95 other ingridients - stand 2 et hours Sinsh Elizin 400 Sherry Thin 12. the or Fre Cure Cepsin place 24 hours filt no acing S. T.

Halslead Hood Our 1 Sar 11/2 At Palo Fin 1/2 th miny Et (chmehille) Police Polassa 320 Apt Vin Red - 3x11 the STV 2 times dirage o than W.S. h 1 such co Chy Condition Powder However Surphie Bluck thelenony Facure see It Seed Vourd. Vewel Mate, & each /4 the 504 for above quarter Baberell's States To the

Thild Cherry Witters Vinct Carchomp Juid- Cumam . " Hesh Orange Veel and; "Leut Compo " Cardam lomp aa Fip Symp Simplex 3m Infus W.C. Back 9, S, AT Of HA filter, Byon cleaning Ether & Chloroform an 37 alcohol, 311 Ol Lantoto 300 Benjine Oji KE

Elivit Calisaya Golden Lotion Junct Port aurant-Lycenic Coloque or Bay Rum 3 ". Lentian Comps Vincegan Comp Zinct Bengrin Fi Ugnu destil Cuchon Comp aa Zi Jochinal 100 Exxxuii Ang Robar . 32x Lypip Simp 3xZ 74 - Filter through tale. Spto Vin Rect Fxxxy Reun Lini Lan Of amin Bulph 36 acid Sulph dit g. S. Getti H. H.Co. acid acetic dil 3'v Acid Hydrochlor 3 Herated Elixu Calisaga Fini Pyrophosph 3mg Ist via Rect 5. Syr Simpley Om Spto Lavander 3% Ag Cinnam Zorg At. This mixture is Combustitute Cult Corrander Ziv Ext aniant-Col: Sife Ag: Auraut: Hor. (amantlost 3" alcoj) De Veroli Bigret. ph Vini Reel Oij 3×1 ag Bullini-Or Ag. Jour Qi. 18 True, a.t. Lin Sulphan vii to Of Hered.

M. Bitler Anealy Alves Socat Triv Clip Calieary Kerraled brocus Sat Quin Sitt for gr xvi brichound " Agaric Rad Zedonac Luchiano Cinchonia " aa grvin Perri leit This go xig Calami ão 31 Eux Suiples q.o. ai M. S. A. Angelica, Thei aa. Fir, ne. S. A. Wash for Neus Artonolar " Jod Pult - Zil Ime Calesaya Jodine 3' Ag 3111 A day & Qui Suceph grxxx ii lemchanice " leichonia" an gravi . Elix Suind . Vii Ericum and Join M. J. A. Ralov. 2.0. Fi Cochineaccor, Muamolotin. Malon, Lotion mici chiloride 320 afgrine of

Oulo. Fumalis for byani " Calendulae " Masac an " Rad dress flor. 38 " Denzoni' an Zi Syr. Scillar cp. H. Ext. Semegie Elixir Damiang Co " Scilla anzi Fld Ext Turnera 31V antimon et Pot, Jack gri Chip Orange 31. Apr. Simplicis 3 Flot End Mucie Vour. gtt XX White Algerino Sub Trit- Bionnik 36 Pill Damiana Co flycerine 3. Pourd Ex Damiana grXXIV " " Micis Vouc gr 14 Sel boutin gs fled XU

(9) Copy of Protocorosos Fince Salph groxvi Morph Jiv Plumbe Subaced privi LR Eliz Ope ag have 3th spran Rzviii Li ppico al ZIV LR h Opi Can. hopin 3155 ac Ben 35 olanis Bizit Olycuph 25 Liguale Eff-Po Jam Ling 3 11(6) Fairle Lemon plus 31 Po Cayenne 325 ale Mater 25, an Vecertato Unique + Capes mito ale 25 1/2 pt add 102 Mag + 3 pto aqua i drake from time to time for 24 hours add Lemonful filter radd 28. ale 0% B to Complete 1 P1 - In

of cost, we will supply it at same price as in the "Scales."

We are able to reduce the Pepsine in Scales to this fine powder without the aid or addition of any foreign substance, and the powdered form is therefore, like our Scales, *absolutely free from any adulteration*.

From the *Powdered* Pepsine Scales a perfectly reliable Saccharated Pepsine of any desired per cent. or strength can be made with the greatest facility. It is also very convenient for dispensing at the prescription counter, in mixtures, pills, capsules, etc. Where Pepsine in Scales is ordered by itself in "Charts" then the Scales should be dispensed.

Comparatively little of the Saccharated Pepsine in the market is of the Pharmacopoeia strength.

RECIPE FOR SACCHARATED PEPSINE.

Guaranteed of the digestive activity required by the U. S. P., 1880-82, viz.: One part of Saccharated Pepsine, dissolved in 500 parts of water, acidulated with 7.5 parts of hydrochloric acid, should digest at least 50 parts of hard boiled egg albumen in five or six hours, at 38° to 40° C., 100° to 104° F. This is about four times the strength of the standard which had hitherto obtained.

4 56 "	1 oz. Pepsine in Scales, cost 19 ozs. Sugar of Mille, "	• •	* *	. \$1 25 C 50
480 90	20 ozs., 1¼ lb.,			. \$I 75
as h	Less than 9 cents an ounce.			

Triturate the Pepsine thoroughly with an equal portion of the Milk-Sugar, and then add gradually the remainder and mix intimately.

It is not necessary to observe any unusual precautions either for triturating this Pepsine, or for preserving it afterwards. It is simply necessary to use a *dry* mortar, as with any powder. No unpleasant odor or *stickiness* are developed by prolonged and vigorous trituration of this Pepsine.

N. B.—We especially desire to call attention to the great improvement we have achieved in the *appearance and activity* of our Pepsine. The Scales are attractive, and the taste *more agreeable* than that of any other unadulterated Pepsine made.

The powdered Pepsine may be sent by mail.

ann Rr. hulph. One Dr. Cardon Cam Bit Eline Singles att

W Servards Com So seduce Apl 200 lecuce 30 Mater by add Gantabis Ind " 5 Hor mater to Toollodion 240 Rach 25- ppl Syr U.S.P. (3 publicag 1 parts) All 3pt mit 1pt ag ft of 9.9.11888 Sunplay Msg. Joda Walet 8 Hougar 4 pls Water makes one Jake 302 7 dus Davis + Gongs Houran Orange fruice + gall 102 2 dis Water to 1.25 Syrup. Simple In for Joda (original bot Contains 27. Wales, 6 Assugar or Juice) Cost - per \$ 5 pt Walert Bottle 634 Mitches One Is make Goda Water Sur gullon from Stol Syc W.S.p. add Syn or 1 pt to 3 pt

2:556. 9.2 S. 85 23. Gleet after The serie chilor Jonothea Zine Sulpholadal Inxi Jol morph (n.S.P.) 3/0 quar ter Plora 9 Ly Defternal and 1 Hourd R43572. 4.6.89, 2 Heading Dewengood Lungs Parish Best-Cologne House Linimental Bergan Jimigr SAR Oji " Jessamin 311" 48 "Jessamin 311" 48 "Jandan Laward 37 24 " Cumanon mfs ag amm U.S. 311 of Origanum 311 m Phalon 1.754 Pt Venyvater In 3755 288 h musk # 37 48 Colopto cong for ag Roma Off 6/2" Mt Hamburg Lea Ph. Gen R Bul Serma 311 Hor Dambrier 3× Sem hand n anne an 31V for A bermain Ten let stand long Time filte add Gream Fart 30 bage 26. At

Catarrh Remedy .- R. Comp. tinct. benzoin, tinct. tolu, each. Cough Sin 2 ounces; chloroform, sulphuric ether, each, 1 drachm; aromatic spts. of ammonia, I ounce; oil of tar, I drachm; rectified spts., 5 Las att XX ounces. Mix. Use with Cutler's inhaler. Sub-acute Nasal Catarrh, with abundant secretions, is often Sph hitte 31 allayed by minim doses of tinct. belladonna every half-hour, until Sil ad 31 eight or ten minims are taken. Rashestus q.S .. 3'i highert Marin Carbolicacid a feu doras side alcohol aqua ammonia fort Shapping MAS Putina mm Suna Co. A.D. Sy Specar Scillar Mide monthed Tolus. Bottle In Bloud Root-S. To intrale Opri Camphiptig 92 1/2 to 3' doves Through the hose When fet of Cough is Dr.H. seven. For Seven Coughs from Colds, Catasch tation -- Calion 33

Vanilla EATON Cough Drops Janilla 31/2 3 2,53 Jonka 202 24 alcohne 403 69 mun annon Ji ausula in ag 24; that Expression Jugar 3,48 Ce In. El- Hypos Con- 87401 - Cyan 3/s When 5-15-89 dimbred add Syn John 35 Shampoo Non 3/ 302 4 Carb Orda 31 tions a day Jenderops perfor Cough muture Collin givi morph nelph grviii 8/1 Etho Co Ziji Sup Pront Pleint Intac 92 64 Aulpho Carbo Singr 64 " acae aug ayanin ps 3111 Calannie nr. 3.20 Kennich, May Vin Can 345 3; When neces Ex Wilch Hayer * muel a cacia A. Themas Themas way aqua ad off 43142 125.88 nuos:1° ane

Whooping Cough Re. Pot-Carlo 72 × × Laryngeal Tuberculosis .- Dr. Tauber (Medical News), speaking of the third stage, says the principal complaint of the patients is the painful swallowing of liquids and solids. He studied and tried to correct this painful deglutition for several years, and can Cour Castign × confidently recommend the following simple and efficient remedy. Saechan 31' The application can be thoroughly made to the ulcerated parts once or twice a day: Ag zir Ano S. Ziggh M. When this mixture is applied, the patient experiences a burning sensation for a short time, but in a few seconds he is enabled to swallow liquids and solids with ease. Strawberry Syr In hore Bleed Pine April June 3 Rasphing . 30h Salurale Cotton with In pentine + introdu. this Quantity for into the nostril Doila tratio Symp 17 Dep Depomania Vanush for Madele (Bunkeness) 1 gran 168 gr nit Strych May 3 Sundaradi 3: Judpentin 3VI. dissolu Purdys Hoise med Polish mitte or 1-Bauch (for choice) apti mit-Dule Zi Riperny Zes Zingel Pull Zes lolla Mi Carb 300 25 prine "

Dergo ated tincture Cologne (Parish's) 26 Brown hair dye Tonqua Beans 37 Variala nutrueg, grated no 7: Benzoic acid 30 accohol 90. X Macepate the sol Solution NOI Bx Cupii Sulfice. 275 Cupi acitici 2,5 actdi Pypogallici 0,5 macerate the solid Ug ammoniae 5,0 ingredients, in course pourder, in aquae dest: 95,0 the alcohol ad libctt - ft solutio at filtra itum, and filter, Solution Nº 2 R Jali Ferrocyanic: 10,0 Cough Mixture W.E. aquae distil. 100,0 Att ft solution annum. Aluriat 3 VI Directions - Bruch the hair Jr. Opin Cample. 3VI with polution NoI then Ur. Lobeliae when dry, brush with solution Nº 2 - W.E. Mr. Opt. liette chit. an 37f - Syl. Tolut . 3 XIV SugExtermin Old. Ext. Licorice 37 ett. 37 3xdu -& Barrine OI Pure Carbilled ST Ande Carbolic and 31 Oil Cedar 317

Pil Shoenignical W.E. Rodi 5,0 aquae 3,0 in mottatium por cellaneura in gestie adde Fini puls. 4,0 reactione inter terendrem per acta admisce 12.0 Thin Julfuric. 13,0 Pacch. alti 5,0 Rad. Liquitit. 7,0 Putr. acacine 2,0 at for pil. 200 Sig - a fill 3 x die Cough Troches ... & Ommon-cllur. 3TT Tartan Emetie que TIT Estr-Licoue 31 Jugar 37 3VI Pond Tragacan. ST Cil Wintergreen mx Cyr. Timplep 95 Hmase.

To the afolementioned away be added Factor Enclie gre TH Pul - Cubebe 3 I

Symps fr. Soda -

I Simple Type & Sugar 6 lbs Water 5 junte

Gelatine of dissolve by boiling -

Lemon & Ess. Lemon Sol. Citrie aidan 3f Symp NOI OII

Vanila A Essent Vanillae 35 Chymp NOI Off Cheannel Solution 95

Fruit Syrups Solutication 37 Syvap NoI OT Cement for Slars. * Isingglass 5,0 work in cold water till plant, Four off all the water and add Sam ammoniae 2,0 checolve both in alevhol 40,0 Water 45,0 strain and add solution of the following 1,3 alcohol 15,0 Form. Hager bd TT pp. 336

Saupaulla flam for Caitor Oil ROT Sullaine 3IIS Ol. Saulthiniae 3 IV. Symp Aquae ão q.s.ad OI Lugar coloring 9.6.

Florida Water ... Cil Lavender 3TT. 03 Clil Lemm 37 12 Oil Change Teel 37 21 alerhol 35X11 25 Water 31V. Curb- Mayner. 371 filter 33

29 For Sprice 3; Elix Lactopepter Lactopeptine 3; Hig pl of his macorato 24 his Filter Jrs Heckin Of Water + give 20 drops Every Chis for young 202 Remain Carolo Lavender Water 2, Janline , , Oil Larender Bight 4 drs Zmin Orfola 2 EDelBug 1/2a -1 ", Borneis Cerit Edsmust 4a 12" Lig Blimbi 1/2 alcohal 2 gul 15 gn Parter Open 15 " Satreyli acool Lice 12 10 m " " Curche al Rosmany, 35' 1 .. 000 3155. apply once daily

4 F INJECTION Brow * Muph Sulf. qu 16 Augur Level que 128 Sulpho Cart Zive gu 128 Calamine 37 37 9 912 White Fl. Estr Pin. Canad ZT Mucilay acac. 3f Extr Witchhazel 3f Olycern 3vill ag. g. s. ad OIV Af Sig Dijection Emulsion God Liver Cil 14 Orish Mores, 37 Wash, cut and simmer vitte Water O III foil and plepale 20 ors mucilage which slace into a one gallon bottle shale well , wet the sides of bottle and add

Tr Quillaiao 3j Cod Liver Cil OI make an enulsion and Syceria 3 VIII Hypophrsph Zime Hypophoeph. Joda au 3iv dissolved in Salt 37 Water 3TV and lastly Olei Gaulther. 35 Ol. any gdal amar. Ol. Cinnam . an 3 ss shake well for several hours Phitographic Developer & Carbonatt Pode 102 -Sulphite Poda 4022 Water 6202. Pyrogall lieid 10 grs Mix

3) Soft Comance 102 Janua dessolu Angelica Leed 56 grame 6 des Water Byheat. Cllynh 14 " White agaric 14 " apply Twice daily 14 ... Camphor 60 " Coln Collocion Salve Inlphate Juining & Salicylic heid 25.37 all in very fine powder-Lard 20 ozīs White Wax 55 ou3 Elix Calisaya eum Geno Ramma ferri Cotrici Mell together on a Water bath - The second Elix Limplex 9.5. ad 07 Mix - add Quin Lulph gu XVI column is sufficient quantity for 20 box es Cota Collodion Salicytic Und 45 gre Extr. Cannat Ind. 8 grs -Collodion 6713 dissolve - pour n For sensitizing Paper (A) - Ammin Cittatorin 64 que Water 1 ora disserbre Warburg's Fr. Extract 5 qu = 31 tincture Without alves Ruber 2 graine (3) Red prussiate Potach 489 Rhubart 56 " Water 102 Water 102 dissolm

Mix equal parts of A and B and coal paper by rubbing the solution over it by means of cotton

Bottle cleaning fluid & Kali Bichromie 3acidi Lulphulici f 3 TT Misce bene ed adde aquae fl 3th

almond Meal R Flour 4 or Powd Chis 102. Cil Lenon 20 diop Cil Bitter almond & dryx M.

Squibbe Drachen millin h Opii Caprici Camphe ando, le Chlorofor - 12 . J.R. 25 /1-150 .. Elastic Collodion Bals Pern 1 part Collodion 9 " R Pile Ourmorphe mus: 92× al Lamino Jiss E41-Adladd, Varetine 320 Chapman-Ja Joughuly "

33 MAINT Nai Fornie AnCondition Poure. Eth' Canthe 313/4 2 Elecampan Ag Cologne Ziss i Foringreek and The Apto Lameno 31:55 1 Sangunan singui H Caprice an 3' Fartar Emeter 328 Revise 10.000 Sal & Bi' A Lables soon and h Canth 311 2013 Times a day on the feed - 1 apt Lan 3iv. An zinss one the best boundar for any Coughe Coldon Ry. & Sal Geninin Zijiii distempor opi The Trice leasth gan Zi + m x h Bostic, also for For lodogreemis fzilov Heaves by adding to 1 miles Asaurus Folm Bzil No. SV.R. S.P.At - faing los Lobelia + Camphon -Kendalles heats CRO CRO on Harry med by Feebhance

Repsin 300 311 Mycerine 311 Elin Spl 3113 in ag 25 proj the bee ant-19162 11.20.99. hun Wilkin

7

TS HOME is in a mansion vast, 'Tis a palace for a king! And here is brew'd the amber juice, Whose praises millions sing! 'Tis wholesome drink, clear as a bell, No ill effects they'll rue — To each bright drop there is a spell In Anheuser-Busch's brew! CHORUS:

ET Germany and France unite To sing the praise of wine! While other poets whisky sing, Here's a brew that's more divine! The weak made strong, the sick are well Who sip this golden dew Brew'd in the land we love so well The Anheuser-Busch's brew! CHORUS:

COPYRIGHTED, 1898

alix Lactater 34 To distray plant functs Jobacco maste 1 \$ Lastatul Popsin 37 Poil Isbaces in pt of agrance 31 20 min + Steam boil Swap in semander all sadd. hland Co Fr. Tobacco quice. miny mite Equal and ag before Po Cudhem gr 30 ince to presdin add little Saliculi acid Spl Elim fr- 07 hat. Crodbach + Lastmuit Amas Sod by Cart 2 drs person mote the and let stand an home ad hot Eling lat stama also naptualice over night & filling Silver polish cream Fast 202 Propehalk 202 minetts Feb 02, 10 67. ag op pr paste mig Planter Paris nich ringan it-mill Keep mois-longe Clean Sponger Sult- 402 ani Cart 2" 24 4 pts Soak oponges untern or two + rince in Water Rev Com Cure Salicylicae 1 " Hacher Collo dion 10 ", re barn as this

1001 Sal Sem 3ª 7 Canth 3/ 3/4 aqua 3/1/2) ArR 25 VIII Jacque Roman De gone por an an Zoo

Aly 200 Lem June. H takej few drop Carboli

No.1, balin cacid 1/2 dr Arr. 3vi. ag dust 34= 3ii TA Noz. asgent- mit- 3j ag distite 31/2 The plus # 2 mit Auch. When near day - apply # !. and the Hoad nice them.

50. create pills Creante 150 grs B Eft- Jum Zi Po Lin Root - 25 Po & andi 25 agun 150 grs mis Shoffer Frely Sallshur tribun E Sort Sulph 31' DANIEL 2405 " Phus 3 T " Bi Cart 31X " Chlor Siv Mag Sulph 335 tag tong 10 5 T T SEWA H VENUE, Apothecary, NEW K R U

Egg albumin and while of Egg With scissors + add eg 25 ag + 25. Cortopect: filler + dry at toe 40° c

HELL-manini " Cubeb anges Glipe Shye andi 5. Leasplid 1/2 hr Lefour tatn' 2 oraflow wrine

Priew to Halsted 1" Sal Roch .35 1/2" Fait acid 30 1/2" Fellow dye 100 Yiz Brand Pills 11 1/2 forters " 14 14 dos alloods Pl 49 1 lb Ino Po 28 Ill Po Borar 15 1l WC Bark 12 2ll Flayered 12 Viz A Holes H HAT 34 1/2 11 Cal Sicona 18 1/1 Instell 9 1/4" Sungroyd 8 1/2" Aurise Seed 8

Parte that will not Jores mmawin or deptin 803 & S quar Sulph enchnin 24 gr are close 5 drops alcohol 3 . dissider Gum in phay ming sulph cindon tail down male

Vackaga Log wood & Copping 5 10 t double of Jiv Jiss 5 10 t double of Logwood Chip 3viil 5 t drow root 12 5 23 10 t Lecland More 13 5 23 10 t Linh " 13 5 23 5 10 2000 Rhubarb Root in Enveloper 5 Ziss. 10 Fini Flax seed thole 5 4/4 10 1/2" 15 fift Magneria S.S. 3 for 5×6 for co Science Reaver 123 5× 13 10× 7 ennell feed 123 5× 43 10× Sfrom Palto 23 5× 43 10× Shamomile Floren German 12 5× 23 10 Neumonile Floren German 12 5× 23 10 Norther State 10 5× 12 5× 1... 10 Washed Quefilim Washed Pulplum 13 5+ 203 10 + Borax Pourd 12 5+ 3 ... 10+ Fresh /top 13 5+ 2" 10+ 5 for 83 10 for 16 03 do do 200 the Coman Bird Jud Tunxed do do L'4" Canary v#357 6357 " 3 *3 10 4 Oxaliz aciel 123 1114 Cream Farter Alant Bot 40 St- do 75. Bay Rum

3, 05 3, 10t 83, 40t 163 75 83, 40t 163 75 "" 3, 054 alum Vulo Buf Front Wine Cod Live Cil Plain 11 11 11 Emul · Elix Calienza & Iron ·· 50 16g 100 Thise Refision Faraline Plain " 50 16z " 23 lot 12 4. ... 20 Ri Carl Poda 23 12 bot 34 Glycome Chlorate Potan 311 5 3iv 10 Rhubart Magninia 311 5 31 Syn Rachbury 12 god 404 Brice of Linn Bills and Capitale. 1 ge & 10t per doz 2 a 200 a a 3 a 30 a a 5 a 50 a a 2 genere Leed 12 5t 22,10t Rochelle Lalt 7 a 5 14. 10



2 C. + Ruis Imuleur yolk of Lans THI 92 230 Sycame grym. II Ol, Biller alunch de leve 2 oil 1.3× arange fl Call SVIN Jash, Rum 5. 3×1 Rut the yall of 2990 mi morten total emobil paste then add Styrepine & min throwinghly much and the ails & Whit month thoroughly miced all one fully & alit makenic the hat with perfectly & maleifud wether add the Ruin half m n

Sackages For Store Senna & Mauna Finicho Janie Rochelle Salht Serma 32 bo Manna 2 Dr 6252 - 54 12 Ste 10% Senna + Salt Rich gain Rhei A- Magnesia 11 brz 54 252 104 Junce Seed Justos= 54 Calc magnesia 3 Are set - bas tag 10 + 2 bri 54 4 brs 104 Serma Leans Chlor Potapa HAR 54 8AN. 100 1/202 54 102 104 Whiting - 60254 1202 104 Powd alum 35/2 sfamseed 103 for 104 102 54 2.02 10 ch Sycopodium. Fenel Seed. 3 5r2-54 65re 102 Howers Sulphur 5 Frenel 5 12 Fendel 10 20254 402 104 Bird Seed - all Minde Bi Cart Loda Canary Seed Stor - 5th 20254 402 104 602 5 clo 1000 tocto in 10 ch et. 200 por 25 ct Gream Jartai 6 tro 57 12 50 100 Rope Hemp + Canary Rape + Caner Condened Jorax \$6-54 Won 10 th haligacid. rish most 1/2 02 - 50 300 10 ch

Joore Hops Cham File 4 ove- 54-40 100 02 50 pm Juni arabic 5 drs 54 10 drams loct Candamon Seed. Charcoul 13-5-23-10 103. 10 ; 95. Whole Flaggeed 302 54 - 602 10 d Jaa gacanthe canthe Gos Salts 14200 14 25-10 201514.10. 159.7 " (evjewan) Prallen aller Aught 8 sre - Contraction of the second se BSK N 8

DIRECTIONS for PEPTONISING MILK

WILH

EXTRACTUM PANCREATIS.

PRECISE DIRECTIONS.

Into a close quart both part the peptonion powers (of a grains of Extraction Janovenia and as grains of for enhance of Security and a gift of cool matery. Similar these adds post of french cool mills.

Place the forthe in water so hot that the whole hand the balloud unit without discontout for a minute, and keep the both there for exactly go minutes. At the end of that time put the both on the to there in where direction and keep the nolli from spollor.

EXPLANATORY,

The degree of digestion is very simply regulated by the length of *time* in which the milk is kept warm,

When the milk is digested so long that it acquires a slightly bitter taste, it is because the caseine has been entirely digested into peptone. It is the taste of the peptone.

It is very rarely necessary to carry the peptonising to the bitter point, and should not be done unless so ordered by the physician.

PARTIALLY peptonised milk has no bitter tastehas, indeed, little apparent evidence of any change.

After the contents of the bottle get warm, then every moment lessens the amount of the caseine-the ingredient which is the obstacle to the use of the milk.

The degree of peptonising necessary in each case, is best determined by the readiness with which it is assimlated by the patient.

Great heat destroys, or cold stops, the digestive action.

It must be borne in mind that this is not a cooking or chemical process. The object is to subject the milk to the action of the digestive principle (the Extract Pancreatis) at a temperature similar to that of the body.

Always use fresh stucet milk.

Peptonised milk may be sweetened to taste, or used for other rum, etc., or made into jelly; also in the the foods as ordinarily require the use of to the instructions of the physician. paring food for INFANTS, use our

PEPTOGENIC MILK POWDER.

Which yields the heat physical gued substitute for motion's moli. Particulates sent grants again detrained.

FAIRCHILD BROS. & FOSTER, N.Y.

FORMULÆ.

ill u 1

R

R

ELIXIR LACTATED PEPSINE.

Lactated Pepsine Hydrochloric Acid, C. P.	
Alcohol	fluidounces.
Orange Flower Water	
Distilled Water4	

Add the lactated pepsine, and then the acid 'to the water. When dissolved, add the other ingredients, set aside for forty-eight hours, and then filter. Other flavors, to suit, may be substituted for the orange flower water.

ELIXIR LACTATED PEPSINE AND QUININE.

Lactated Pepsine	320 grains.
Sulphate Quinine	
Hydrochloric Acid, C. P.	30 minims.
Alcohol	fluidounces.
Simple Syrup	; .t
Orange Flower Water	
Distilled Water4	"

Dissolve the quinine in the acid and water. When the mixture is clear add the lactated pepsin and continue as in elixir lactated pepsine. Any of the combinations of pepsine, except that of ammonia citrate bismuth (which is precipitated by muriatic acid) may be prepared after the manner of this formula.

R ELIXIR LACTATED PEPSIN, STRYCHNIA AND BISMUTH.

Lactated Pepsine	grains.
Strychnia Powdered1 28-100	- 46
Ammonia Citrate Bismuth (fresh)128	
Citric Acid	q. s.
Alcohol	ounces.
Simple Syrup	**
Orange Flower Water	44 -
Distilled Water4	

Dissolve the strychnia carefully in the water by aid of heat and a small quantity of citric acid. When the solution is complete, add the bismuth, and finally the lactated pepsine, being careful that each ingredient is fully dissolved before the other is added. Add the other articles and set aside for forty-eight hours, then filter.

Ŗ	WINE LACTATED PEPSINE.
	Lactated Pepsine
	Water
	Alcohol1 "
	Simple Syrup
-	Sherry Wine11 "

Auf

morph Sulph givini acid Salicipic gr 1/4 ag Deal-335 Fr. Podophyllin -Res. Blophylling A. Sig. as aly Ata,

Mag Hoz ang Hoz ang Hoz an 20 " 1002 lock Sujar 20 " Rican golain mag 4,02 Citac 8.00 Sypt 20 flor 35% 35.72 Cour crean Mh Betuk boran White may 1 or 2de ag Runa 21/202 al Rove 2 min

Brown Han Dyc . Apagallicacia 310 Sodium culphito 355 Alartine 31 Valie 3111 Distolicació in ale and nephilim mater and ming the solution

Haydin Virromm Ric Cramp Bank - Ziv. "Black Har - Ziv." " Black Har - Ziv." Since Cimana gs. as Ziv. M + agter 24 hours filter

WErs hugen 402 Say gul Four 202 ac got Sanap he Sup MR. In S Sing 19 En Sana 23 ag Briling 122mfin 12 his Strain and alicher S Calor 19 Doann 400 25122-Sy Son alerticion fram 13 acid Color fram 12 Coffee Ess Layan al minting 6 de Samp 4. ann 12. En Famil 4 " ale izinon ay Inon 1501 Mal= 25.121-Sugar 21/2 the Syn Vanil Et " 14 or Syn 1 galle Stranlery Syn Splo Joan 402 Juni/" in Luni Juni smil 1/2011 202 Hours 202 acid Sal J12 toam 1202 Camin Sul 3155 " Lennon ac Loc 302 Caramel 31/2 Vinie appale " Fran 4° gal En tem 200

Antikaminin. Racidamilid 37. Arda Bicato 31.

San Orange St Ess orange 12 or X ac Sue 3 " & Camini fil 2 de F. Sugar Col 2 " Printich Bich An 1 gul Eff-Brich 2 1/202 formen Hor B Min thomas

W. H. Schieffelin & Co.'s Soluble Pills Preferred when not otherwise specified. 2 Junper Pr) indigo mings mill- first 80 " di

Restoring Tarnished Gold.—According to the Jewellers' Circular, the following mixture is an excellent one for restoring gold which has become tarnished:

Sodium bicarbonate	30
Chlorinated limeoz.	1
Common salt	1
Water	.6

Mix well and apply with a soft brush. A very small quantity of the solution is sufficient for effecting the desired purpose, and it may be used either cold or lukewarm. Plain articles may be brightened equal to new by putting a spot or two of the liquid upon them from the stopper of the bottle, and lightly brushing over the surface with fine tissue paper until sufficiently dried off to accomplish the object intended.

Red Color for thom Battle Jinely Pourd Cochinal 3' Sulph acid 3' let stand addagin gly to make desired Color Afiller mill stand for years (17) Tooth wash Castile Svap 3' S.N.R. 3VI Chyce 31 ag but 3VI Ol menth Rp m XV. Ol gantich m XX " Clores MN Ext Famil STV Surah Soap in hor water and in alcohol mig the Solutions and after 24 his filter, cal red mite coelinear of desired

CURRY POWDER

CONTRACT TO IT DATA		
F. D. CThe following	form	nulas are
taken from former issues of	the	Report:
1.—Cayenne Pepper	1	part
Ginger	1	part
Mace	1	part
Cloves	1	part
Mustard	3	parts
Turmeric	4	parts
White Pepper	6	parts
Fenugreek	1	part
2.—Coriander	1	part
Cayenne Pepper	1	part
Cumin	2	parts
Mustard	3	parts
Ginger	3	parts
White Pepper	6	parts
Turmeric	16	parts
3.—Black Pepper	1	part
Allspice	1	part
Mustard	2	parts
Ginger	2	parts
Fenugreek	4	parts
Cinnamon	4	parts
Turmeric	8	parts
Coriander	8	parts
In the above formulas, th		
must be in fine powder, wel sifted.	l m	ixed, and

Ol Pray, 40 mi Prin 5 11 acustan 25 " Sva or Oj. 30 14 3×11+12 # ale Oii 3 x al Bay 3i 1/8 Jan 2 3iss Av Ojss

BOVOX

BEEF, IRON AND WINE FORMULA.

					-			
"Bovox," 1 pint,		-	-			-	-	\$1.00
Cit. Iron and Ammonia, 412		-	-	-	-	-	-	.22
Simple Syrup, 2 pints,		-	~			-	-	.10
Oil Sweet Orange (fresh), 1/2	ounce,	~	-	-	-	-	+	.10
Glycerine, ½ pint, -			÷				÷	.12
Water, 2 pints,		9	-	-	-		-	.00
Alcohol, 3 pints, -		-	-	~		-		.81
Sherry Wine to make four	gallons, (3	galle	ons,)	-	-	-	-	3.00
							Pints,	32)5.35(.163
Labels,	2 2	-	-			-	-	00
Bottle and Cork,	· ·	-	-	-	6	-	-	07
Total cost, ready to sell,		-	-			-		234
the first of the first of the second s								

Dissolve the Cit. Iron in the water, add to the "Bovox;" shake well and add Syrup, Glycerine and the Oil of Orange previously dissolved in the Alcohol, then sufficient Sherry Wine to make four gallons. Allow the mixture to stand for two or three days in a cool place and then filter.

Mentholated Throat Tablets. LARGE SIZE.

For Sore Throat, Ordinary Colds, Pharyngitis, Stomatitis, etc.

R.	Menthol					x	1-35	gr.	1
~	Cocaine Mur.	1				*	I-280	gr.	£
	Oil Anise								1
	Acid Benzoic								T
	Eucalyptol				1		1-16	gr.	1
	Sugar]


"These Tablets are prepared for the especial purpose of acting locally, quickly and pleasantly in cases of Sore Throat, and in innammatory, conditions of the mouth and pharynx, such as stomatitis and Pharyngitis. If taken properly, that is, if allowed to dissolve slowly in the mouth, the will come apple the unclease the affected of the source of the

medicaments of which they are composed will soon apply themselves to the affected parts, imparting a cool, agreeable sensation to the inflamed mucous membrane. The tablets are compounded of remedies of great power in reducing the painful heat and dryness of Sore Throat and kindred affections, and destroying the bacteria that may cause inflammation and purulent secretions of mouth and pharynx. Menthol and eucalyptol are antiseptic and antiphlogistic, and diminish the pain of inflammation by stimulating the flow of blood from the congested capillaries. This action is completed by the local anodyne effect of cocaine, which is contained in the Tablets in small quantity. Benzoic acid, besides being an excellent antiseptic, has a pleasant, soothing action on inflammed mucous surfaces, conducing materially to the rapid relief of the painful symptoms of throat affections. An agreeable taste is imparted to these Tablets by adding the Oil of Anise.

For Sore Throat, ordinary Colds with Cough, the Tablets may be taken at intervals of half an hour until three have been administered. For Stomatitis and Pharyngitis, four daily.

JOHN WYETH & BRO., Philadelphia, Pa.

(OVER)



4 Fimistmorph but ph ge 16. Jugar Lead " 128 Sulph Corbolate Zine 9128 Calamin 31 311 4 905 Hennedy Al Ex1-Finn Canad (white) 31 mucil a ea cin 38 . Ext- Mith Hage 38 Mycerin 38 ay 25 and OTV

Part 1 Robe I large & yellow and thate, there extract juice from some 3 vi bitric acid. put in a small sauce far with 371 Surfer any added & boil sauce, & stir to perform forming Part 2 still a Chlove line fruit jor with huple syr & pass part I though a strainer LINNETTS' SUMMER AVE., PHARMACY, Telephone 1354. Summer & Bloomfield Avenues.

Re Joap Back 311 Apto mi Red - 37 aguna Zxiv min Legunds tog diger Doap Bark mehen 24 thomas Tor to gave Symp

mosfi m lazar hicher 3 de

A Bail breath Huymol 31/2910 Borat 15 grs + Ol miting 5 min ag 316 dissolin in Ide Arr Rime month freely or gaugle often

Rf Head ache ane menthal gis 3.20. A Colague 3mi

L. ROTHENBERG & CO., Deutsche Apotheker. Druggists and Chemists, BROADWAY AND OCEAN AVENUE, BROADWAY, Opposite LIBBARY HALL AND COP. OCEAN AND CHELSEA AVENUES. Long Branch, N. J. For Ŗ. 4

Finest Coloque Water Rf Cil Bugamint Oil Venun aa 3TV Oil Lavender M TIS Celleveroli m XX Oil Cinnanon m XX die cener m XX ceil RASE m F Oil allessae m XXX actic Ether 370 Thull gre I Water 31V Mix - let stand and filter

W. H. Schieffelin & Co.'s Soluble Pills Preferred when not otherwise specified. Racid Furns Blue announ or alka-- hes turns red lating Blue Fastiloss e Loil CLO 25 pb 2 Saech 51 Sall-Rum Devd Ivdofo. Indoform 1. menterel .05 al Lavard gtt, ad a Small and Chlorofour to Fruit Juices to preserve Sulicylie and dissol.

Hz. S04 - dil Dulphuni 17. C. L. miniata HaL, NO HNO3, dil HCZ dil miniation HIVO 3. notice CRAMFORD PHARMACY. AND CRAMPORDE.

